

Index of Papers Published in 1979

Author Index

A

- Alvarado, D.A. and Marsden, S.S.:** *Flow of Oil-in-Water Emulsions Through Porous Media*, (Tech. Paper) SPEJ Dec., 371-377
- Antkiw, S. and Nelligan, W.B.:** *Accurate Thermal-Neutron Decay Time Measurements Using the Far Detector of the Dual-Spacing TDT -- A Laboratory Study*, (Transaction) SPEJ Feb., 59-66

B

- Bommer, P.M. and Schechter, R.S.:** *Mathematical Modeling of In-Situ Uranium Leaching*, (Tech. Paper) SPEJ Dec., 393-400
- Bourrel, M. et al.:** *Interfacial Tension and Behavior of Nonionic Surfactants*, (Tech. Paper) SPEJ Dec., 349-356
- Bourrel, M. et al.:** *Mixing Rules for Optimum Phase-Behavior Formulations of Surfactant/Oil/Water Systems*, (Tech. Paper) SPEJ Oct., 271-278
- Bradley, W.B. and Ciosmann, P.J.:** *The Effect of Temperature on Tensile and Compressive Strengths and Young's Modulus of Oil Shale*, (Transaction) SPEJ Oct., 301-312
- Brigham, W.E. and Kucuk, F.:** *Transient Flow in Elliptical Systems*, (Transaction) SPEJ Dec., 401-410
- Brigham, W.E. and Falade, G.K.:** *The Reciprocity Principle in Fluid Flow Through Porous Media*, (Tech. Paper) SPEJ Aug., 200-202

C

- Chen, W.H. et al.:** *A Numerical Simulation Model for Thermal Recovery Processes*, (Transaction) SPEJ Feb., 37-58
- Ciosmann, P.J. and Bradley, W.B.:** *The Effect of Temperature on Tensile and Compressive Strengths and Young's Modulus of Oil Shale*, (Transaction) SPEJ Oct., 301-312
- Copeland, C.T. et al.:** *A Laboratory Study of Clay Stabilizers*, (Forum) SPEJ Oct., 267-269
- Coulter, A.W. et al.:** *A Laboratory Study of Clay Stabilizers*, (Forum) SPEJ Oct., 267-269
- Crichlow, H.B. and Tiab, D.:** *Pressure Analysis of Multiple-Sealing-Fault Systems and Bounded Reservoirs by Type-Curve Matching*, (Tech. Paper) SPEJ Dec., 378-392
- Crookston, R.B. et al.:** *A Numerical Simulation Model for Thermal Recovery Processes*, (Transaction) SPEJ Feb., 37-58
- Culham, W.E. et al.:** *A Numerical Simulation Model for Thermal Recovery Processes*, (Transaction) SPEJ Feb., 37-58

D

- Dalen, V.:** *Simplified Finite-Element Models for Reservoir Flow Problems*, (Transaction) SPEJ Oct., 333-343
- Davis, H.T. et al.:** *On Interfacial Tensions: Measured With Alkyl Aryl Sulfonate Surfactants*, (Tech. Paper) SPEJ Apr., 71-82

E

- El-Emary, M.M. et al.:** *Interfacial Tension and Behavior of Nonionic Surfactants*, (Tech. Paper) SPEJ Dec., 349-356
- Ershaghi, I. and Uldrich, D.O.:** *A Method for Estimating the Interporosity Flow Parameter in Naturally Fractured Reservoirs*, (Transaction) SPEJ Oct., 324-332

F

- Falade, G.K. and Brigham, W.E.:** *The Reciprocity Principle in Fluid Flow Through Porous Media*, (Tech. Paper) SPEJ Aug., 200-202
- Fleming, P.D., III and Vinatieri, J.E.:** *The Use of Pseudocomponents in the Representation of Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Oct., 289-300
- Forrester, R.C. III and Westmoreland, P.R.:** *Two-Dimensional Pyrolysis Effects During In-Situ Coal Gasification: Preliminary Results*, (Forum) SPEJ May, 571-573
- Foster, H.P. Jr. and Killough, J.E.:** *Reservoir Simulation of the Empire Abo Field: The Use of Pseudos in a Multilayered System*, (Tech. Paper) SPEJ Oct., 279-288
- Franses, E.I. et al.:** *On Interfacial Tensions: Measured With Alkyl Aryl Sulfonate Surfactants*, (Tech. Paper) SPEJ Apr., 71-82
- Fussell, L.T.:** *Author's Reply to Discussion of A Technique for Calculating Multiphase Equilibria*, (Tech. Paper) SPEJ Aug., 208-210
- Fussell, D.D. and Fussell, L.T.:** *An Iterative Technique for Compositional Reservoir Models*, (Tech. Paper) SPEJ Aug., 211-220
- Fussell, L.T.:** *A Technique for Calculating Multiphase Equilibria*, (Tech. Paper) SPEJ Aug., 203-208
- Fussell, L.T. and Fussell, D.D.:** *An Iterative Technique for Compositional Reservoir Models*, (Tech. Paper) SPEJ Aug., 211-220

G

- Gallus, J.P. et al.:** *Performance of Oilwell Cementing Compositions in Geothermal Wells*, (Transaction) SPEJ Aug., 233-241
- Gill, J.S. and Nancollas, G.H.:** *Formation and Dissolution of High-Temperature Forms of Calcium Sulfate Scales: The Influence of Inhibitors*, (Transaction) SPEJ Dec., 423-429
- Glover, C.J. et al.:** *Surfactant Phase Behavior and Retention in Porous Media*, (Tech. Paper) SPEJ June, 183-193
- Gupta, S.P. and Trushenski, S.P.:** *Micellar Flooding -- Compositional Effects on Oil Displacement*, (Transaction) SPEJ Apr., 116-128

H

- Hanna, H.S. and Somasundaran, P.:** *Adsorption of Sulfonates on Reservoir Rocks*, (Transaction) SPEJ Aug., 221-232
- Harrisberger, W.H. et al.:** *A Laboratory Study of Clay Stabilizers*, (Forum) SPEJ Oct., 267-269
- Hayes, M.E. et al.:** *Interfacial Tension and Behavior of Nonionic Surfactants*, (Tech. Paper) SPEJ Dec., 349-356
- Heard, H.C. and Thigpen, L.:** *Vertical Stress Distribution in Oil-Shale Aggregate Columns During Retorting*, (Tech. Paper) SPEJ Apr., 97-106

I

- Ikoku, C.U. and Ramey, H.J. Jr.:** *Transient Flow of Non-Newtonian Power-Law Fluids in Porous Media*, (Tech. Paper) SPEJ June, 164-174

K

- Kazemi, H. and Merrill, L.S.: *Numerical Simulation of Water Imbibition in Fractured Cores*, (Tech. Paper) SPEJ June, 175-182
- Killough, J.E. and Foster, H.P. Jr.: *Reservoir Simulation of the Empire Abo Field: The Use of Pseudos in a Multilayered System*, (Tech. Paper) SPEJ Oct., 279-288
- Kucuk, F. and Brigham, W.E.: *Transient Flow in Elliptical Systems*, (Transaction) SPEJ Dec., 401-410

L

- Larson, R.G.: *The Influence of Phase Behavior on Surfactant Flooding*, (Transaction) SPEJ Dec., 411-422

M

- Maerker, J.M. et al.: *Surfactant Phase Behavior and Retention in Porous Media*, (Tech. Paper) SPEJ June, 183-193
- Marsden, S.S. and Alvarado, D.A.: *Flow of Oil-in-Water Emulsions Through Porous Media*, (Tech. Paper) SPEJ Dec., 371-377
- Martin, J.C. and Wegner, R.E.: *Numerical Solution of Multiphase, Two-Dimensional Incompressible Flow Using Stream-Tube Relationships*, (Transaction) SPEJ Oct., 312-323
- Masse, L. and Medlin, W.L.: *Laboratory Investigation of Fracture Initiation Pressure and Orientation*, (Transaction) SPEJ Apr., 129-144
- McCaffery, F.G. and Sigmund, P.M.: *An Improved Unsteady-State Procedure for Determining Relative-Permeability Characteristics of Heterogeneous Porous Media*, (Tech. Paper) SPEJ Feb., 15-28
- McCaffery, F.G. and Sigmund, P.M.: *Authors' Reply to Discussion of An Improved Unsteady-State Procedure for Determining the Relative Permeability Characteristics of Heterogeneous Porous Media*, (Tech. Paper) SPEJ Oct., 270
- McCracken, T.A. and Yonosik, J.L.: *A Nine-Point, Finite-Difference Reservoir Simulator for Realistic Prediction of Adverse Mobility Ratio Displacements*, (Transaction) SPEJ Aug., 253-262
- Medlin, W.L. and Masse, L.: *Laboratory Investigation of Fracture Initiation Pressure and Orientation*, (Transaction) SPEJ Apr., 129-144
- Merrill, L.S. and Kazemi, H.: *Numerical Simulation of Water Imbibition in Fractured Cores*, (Tech. Paper) SPEJ June, 175-182
- Metcalfe, R.S. and Yarbrough, L.: *The Effect of Phase Equilibria on the CO₂ Displacement Mechanism*, (Transaction) SPEJ Aug., 242-252
- Miller, J.W. and Scoggins, M.W.: *Determination of Water-Soluble Polymers Containing Primary Amide Groups Using the Starch-Triiodide Method*, (Tech. Paper) SPEJ June, 151-154
- Miller, W.G. et al.: *On Interfacial Tensions: Measured With Alkyl Aryl Sulfonate Surfactants*, (Tech. Paper) SPEJ Apr., 71-82

N

- Nancollas, G.H. and Gill, J.S.: *Formation and Dissolution of High-Temperature Forms of Calcium Sulfate Scales: The Influence of Inhibitors*, (Transaction) SPEJ Dec., 423-429
- Nelligan, W.B. and Antkiw, S.: *Accurate Thermal-Neutron Decay Time Measurements Using the Far Detector of the Dual-Spacing TDT - A Laboratory Study*, (Transaction) SPEJ Feb., 59-66

O

- OH, S.G. and Slattery, J.C.: *Interfacial Tension Required for Significant Displacement of Residual Oil*, (Tech. Paper) SPEJ Apr., 83-96

- Odeh, A.S. and Yang, H.T.: *Flow of Non-Newtonian Power-Law Fluids Through Porous Media*, (Tech. Paper) SPEJ June, 155-163

P

- Pope, G.A. et al.: *A Sensitivity Study of Micellar/Polymer Flooding*, (Tech. Paper) SPEJ Dec., 357-368
- Puerto, M.C. et al.: *Surfactant Phase Behavior and Retention in Porous Media*, (Tech. Paper) SPEJ June, 183-193
- Pulg, J.E. et al.: *On Interfacial Tensions: Measured With Alkyl Aryl Sulfonate Surfactants*, (Tech. Paper) SPEJ Apr., 71-82
- Pyle, D.E. et al.: *Performance of Oilwell Cementing Compositions in Geothermal Wells*, (Transaction) SPEJ Aug., 233-241

R

- Ramey, H.J. Jr. and Ikoku, C.U.: *Transient Flow of Non-Newtonian Power-Law Fluids in Porous Media*, (Tech. Paper) SPEJ June, 164-174
- Rose, W.: *Discussion of An Improved Unsteady-State Procedure for Determining the Relative-Permeability Characteristics of Heterogeneous Porous Media*, (Tech. Paper) SPEJ Oct., 270
- Rowe, A.M.: *Discussion of A Technique for Calculating Multiphase Equilibria*, (Tech. Paper) SPEJ Aug., 208

S

- Salager, J.L. et al.: *Mixing Rules for Optimum Phase-Behavior Formulations of Surfactant/Oil/Water Systems*, (Tech. Paper) SPEJ Oct., 271-278
- Sandvik, E.L. et al.: *Surfactant Phase Behavior and Retention in Porous Media*, (Tech. Paper) SPEJ June, 183-193
- Sarpkaya, T.: *Wave Impact Loads on Cylinders*, (Transaction) SPEJ Feb., 29-36
- Schechter, R.S. and Bommer, P.M.: *Mathematical Modeling of In-Situ Uranium Leaching*, (Tech. Paper) SPEJ Dec., 393-400
- Schechter, R.S. et al.: *Interfacial Tension and Behavior of Nonionic Surfactants*, (Tech. Paper) SPEJ Dec., 349-356
- Schechter, R.S. et al.: *Mixing Rules for Optimum Phase-Behavior Formulations of Surfactant/Oil/Water Systems*, (Tech. Paper) SPEJ Oct., 271-278
- Scoggins, M.W. and Miller, J.W.: *Determination of Water-Soluble Polymers Containing Primary Amide Groups Using the Starch-Triiodide Method*, (Tech. Paper) SPEJ June, 151-154
- Scriven, L.E. et al.: *On Interfacial Tensions: Measured With Alkyl Aryl Sulfonate Surfactants*, (Tech. Paper) SPEJ Apr., 71-82
- Sigmund, P.M. and McCaffery, F.G.: *An Improved Unsteady-State Procedure for Determining Relative-Permeability Characteristics of Heterogeneous Porous Media*, (Tech. Paper) SPEJ Feb., 15-28
- Sigmund, P.M. and McCaffery, F.G.: *Authors' Reply to Discussion of An Improved Unsteady-State Procedure for Determining the Relative Permeability Characteristics of Heterogeneous Porous Media*, (Tech. Paper) SPEJ Oct., 270
- Slattery, J.C. and OH, S.G.: *Interfacial Tension Required for Significant Displacement of Residual Oil*, (Tech. Paper) SPEJ Apr., 83-96
- Somasundaran, P. and Hanna, H.S.: *Adsorption of Sulfonates on Reservoir Rocks*, (Transaction) SPEJ Aug., 221-232
- Szabo, M. T.: *The Effect of Sulfonate/Polymer Interaction on Mobility Buffer Bank*, (Tech. Paper) SPEJ Feb., 4-14

T

- Thigpen, L. and Heard, H.C.: *Vertical Stress Distribution in Oil-Shale Aggregate Columns During Retorting*, (Tech. Paper) SPEJ Apr., 97-106

Tiab-Yonosik

- Tiab, D. and Crichlow, H.B.:** *Pressure Analysis of Multiple-Sealing-Fault Systems and Bounded Reservoirs by Type-Curve Matching*, (Tech. Paper) SPEJ Dec., 378-392
- Trushenski, S.P. and Gupta, S.P.:** *Micellar Flooding -- Compositional Effects on Oil Displacement*, (Transaction) SPEJ Apr., 116-128
- Tsaur, Kerming et al.:** *A Sensitivity Study of Micellar/Polymer Flooding*, (Tech. Paper) SPEJ Dec., 357-368

U

- Uldrich, D.O. and Ershaghi, I.:** *A Method for Estimating the Interporosity Flow Parameter in Naturally Fractured Reservoirs*, (Transaction) SPEJ Oct., 324-332

V

- Vinatieri, J.E. and Fleming, P.D., III:** *The Use of Pseudocomponents in the Representation of Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Oct., 289-300

W

- Wade, W.H. et al.:** *Interfacial Tension and Behavior of Nonionic Surfactants*, (Tech. Paper) SPEJ Dec., 349-356

- Wade, W.H. et al.:** *Mixing Rules for Optimum Phase-Behavior Formulations of Surfactant/Oil/Water Systems*, (Tech. Paper) SPEJ Oct., 271-278
- Wang, Ben et al.:** *A Sensitivity Study of Micellar/Polymer Flooding*, (Tech. Paper) SPEJ Dec., 357-368
- Watters, L.T. et al.:** *Performance of Oilwell Cementing Compositions in Geothermal Wells*, (Transaction) SPEJ Aug., 233-241
- Wegner, R.E. and Martin, J.C.:** *Numerical Solution of Multiphase, Two-Dimensional Incompressible Flow Using Stream-Tube Relationships*, (Transaction) SPEJ Oct., 312-323
- Westmoreland, P.R. and Forrester, R.C. III:** *Two-Dimensional Pyrolysis Effects During In-Situ Coal Gasification: Preliminary Results*, (Forum) SPEJ May, 571-573

Y

- Yang, H.T. and Odeh, A.S.:** *Flow of Non-Newtonian Power-Law Fluids Through Porous Media*, (Tech. Paper) SPEJ June, 155-169
- Yarborough, L. and Metcalfe, R.S.:** *The Effect of Phase Equilibria on the CO₂ Displacement Mechanism*, (Transaction) SPEJ Aug., 242-252
- Yonosik, J.L. and McCracken, T.A.:** *A Nine-Point, Finite-Difference Reservoir Simulator for Realistic Prediction of Adverse Mobility Ratio Displacements*, (Transaction) SPEJ Aug., 253-262

Subject Index

A

Abstraction

Of Mahogany sulfonate on reservoir rocks, (Transaction) SPEJ Aug., 221-232

Adsorption

Of sulfonates on reservoir rocks, (Transaction) SPEJ Aug., 221-232

Alcohol

Effect on interfacial tension and behavior of nonionic surfactants, (Tech. Paper) SPEJ Dec., 349-356

Anisotropic Reservoirs

Elliptical systems: transient flow in, (Transaction) SPEJ Dec., 401-410

B

Boundary Conditions

Elliptical systems: transient flow in, (Transaction) SPEJ Dec., 401-410

Bounded Reservoirs

And multiple-sealing-fault systems: pressure analysis by type-curve matching, (Tech. Paper) SPEJ Dec., 378-392

C

Calcium

Sulfate: influence of inhibitors on formation and dissolution of high-temperature forms of scales, (Transaction) SPEJ Dec., 23-429

Capillary Flow

Oil-in-water emulsions, (Tech. Paper) SPEJ Dec., 371-377

Carbon Dioxide

Displacement mechanism: effect of phase equilibria on, (Transaction) SPEJ Aug., 242-252

Cementing

Oilwell compositional: performance in geothermal wells, (Transaction) SPEJ Aug., 233-241

Chemical Flooding

Porous media: surfactant phase behavior and retention, (Tech. Paper) SPEJ June, 183-193

Clays

Stabilizers, (Forum) SPEJ Oct., 267-269

Coals

In-situ gasification: two-dimensional pyrolysis effects during: preliminary results, (Forum) SPEJ May, 571-573

Columns

Oil-shale aggregate: vertical stress distribution during retorting, (Tech. Paper) SPEJ Apr., 97-106

Combustion

Coal: in-situ; preliminary results of two-dimensional pyrolysis of effects, (Forum) SPEJ May, 571-573
In-situ: numerical simulation model, (Transaction) SPEJ Feb., 37-58

Composition

Oilwell cementing: performance in geothermal wells, (Transaction) SPEJ Aug., 233-241

Computers

Model: in-situ uranium leaching, (Tech. Paper) SPEJ Dec., 393-400

Cores

Flow data: oil-in-water emulsions through porous media, (Tech. Paper) SPEJ Dec., 371-377

Fractured: numerical simulation of water imbibition, (Tech. Paper) SPEJ June, 175-182

Heterogeneous carbonate: improved unsteady-state procedure for determining relative-permeability characteristics, (Tech. Paper) SPEJ Feb., 15-28

Study of mobility buffer design: effect of sulfonate/polymer interaction, (Tech. Paper) SPEJ Feb., 4-14

Correlations

Capillary tubes and core flow data: flow of Newtonian and non-Newtonian macroemulsions, (Tech. Paper) SPEJ Dec., 371-377

Curve Fitting

Pressure analysis: multiple-sealing-fault systems and bounded reservoirs, (Tech. Paper) SPEJ Dec., 378-392

Cylinders

Wave impact loads on, (Transaction) SPEJ Feb., 29-36

D

Design

Mobility buffer: effect of sulfonate/polymer interaction, (Tech. Paper) SPEJ Feb., 4-14

Detectors

Far: dual-spacing TDT device; laboratory study of thermal-neutron decay time measurements, (Transaction) SPEJ Feb., 59-66

Developments

Computer model of in-situ uranium leaching, (Tech. Paper) SPEJ Dec., 393-400

Dimensionless Groups

Pressure analysis: multiple-sealing-fault systems and bounded reservoirs, (Tech. Paper) SPEJ Dec., 378-392

Displacement Mechanism

CO₂: effect of phase equilibria on, (Transaction) SPEJ Aug., 242-252

Of residual oil: interfacial tension required for significant results, (Tech. Paper) SPEJ Apr., 83-96

Oil: compositional effects of micellar flooding, (Transaction) SPEJ Apr., 116-128

Surfactant flooding: influence of phase behavior, (Transaction) SPEJ Dec., 411-422

Two-phase laboratory tests: determining relative-permeability characteristics of heterogeneous porous media, (Tech. Paper) SPEJ Feb., 15-28

Drainage

Displacement: improved unsteady-state procedure for determining relative-permeability characteristics of heterogeneous porous media, (Tech. Paper) SPEJ Feb., 15-28

E

ECPD

Vertical stress: in oil-shale aggregate columns during retorting, (Tech. Paper) SPEJ Apr., 97-106

Empire Abo Field

See New Mexico, (Tech. Paper) SPEJ Oct., 279-288

Emulsions

Oil-in-water: flow through porous media, (Tech. Paper) SPEJ Dec., 371-377

Equilibrium

- Multiphase: technique calculating, (Tech. Paper) SPEJ Aug., 203-208
- Phase: effect on CO₂ displacement mechanism, (Transaction) SPEJ Aug., 242-252

F**Faults**

- Multiple-sealing systems: pressure analysis by type-curve matching, (Tech. Paper) SPEJ Dec., 378-392

Field Tests

- Fracture initiation pressure and orientation, (Transaction) SPEJ Apr., 129-144
- Non-Newtonian power-law fluids: flow through porous media, (Tech. Paper) SPEJ June, 155-163
- Oilwell cementing compositions: performance in geothermal wells, (Transaction) SPEJ Aug., 233-241

Finite Difference Method

- Nine-point, finite-difference reservoir simulator: for realistic prediction, (Transaction) SPEJ Aug., 253-262

Finite Element Method

- Simplified models: reservoir flow problems, (Transaction) SPEJ Oct., 333-343

Fluid Flow

- Multiphase, two-dimensional incompressible: numerical solution using stream-tube relationships, (Transaction) SPEJ Oct., 312-323
- Naturally fractured reservoirs: method for estimating interporosity parameter, (Transaction) SPEJ Oct., 324-332
- Oil-in-water emulsions through porous media, (Tech. Paper) SPEJ Dec., 371-377
- Reservoir flow problems: simplified finite-element models, (Transaction) SPEJ Oct., 333-343
- Surfactant flooding: influence of phase behavior, (Transaction) SPEJ Dec., 411-422
- Through porous media: non-Newtonian power-law fluids, (Tech. Paper) SPEJ June, 155-163
- reciprocity principle, (Tech. Paper) SPEJ Aug., 200-202
- Transient flow in porous media: non-Newtonian power-law fluids, (Tech. Paper) SPEJ June, 164-174

Formation Fractures

- Cores: numerical simulation of water imbibition, (Tech. Paper) SPEJ June, 175-182
- Infinite-conductivity vertically fractured wells: elliptical flow problems, (Transaction) SPEJ Dec., 401-410
- Initiation pressure and orientation: laboratory investigation, (Transaction) SPEJ Apr., 129-144
- Method for estimating interporosity flow parameters, (Transaction) SPEJ Oct., 324-332

G**Galerkin Method**

- Simplified finite-element models: for reservoir flow problems, (Transaction) SPEJ Oct., 333-343

Gas Coning

- Empire Abo field: reservoir simulation; use of pseudos in a multilayered system, (Tech. Paper) SPEJ Oct., 279-288

Gasification

- Coal: two-dimensional pyrolysis effects in-situ; preliminary results, (Forum) SPEJ May, 571-573

Geothermal Wells

- Performance of oilwell cementing, (Transaction) SPEJ Aug., 233-241

H**History**

- Match: reservoir simulation of Empire Abo field; use of pseudos in a multilayered system, (Tech. Paper) SPEJ Oct., 279-288

I**Imbibition**

- Displacement: improved unsteady-state procedure for determining relative-permeability characteristics of heterogeneous porous media, (Tech. Paper) SPEJ Feb., 15-28
- Water: numerical simulation in fractured cores, (Tech. Paper) SPEJ June, 175-182

Inhibitors

- Influence of formation and dissolution of high-temperature forms of calcium sulfate scales, (Transaction) SPEJ Dec., 423-429

Injection

- Test analysis: flow of non-Newtonian power-law fluids through porous media, (Tech. Paper) SPEJ June, 155-163

Injection Wells

- Test data: transient flow in porous media; non-Newtonian power-law fluids, (Tech. Paper) SPEJ June, 164-174

Interfacial Tension

- And behavior of nonionic surfactants, (Tech. Paper) SPEJ Dec., 349-356
- Measured with alkyl aryl sulfonate surfactants, (Tech. Paper) SPEJ Apr., 71-82
- Required for significant displacement of residual oil, (Tech. Paper) SPEJ Apr., 83-96

Isochronal Test

- Interpretation: flow through porous media; non-Newtonian power-law fluids, (Tech. Paper) SPEJ June, 155-163

Iteration

- Technique: for compositional reservoir models, (Tech. Paper) SPEJ Aug., 211-220

L**Laboratory Studies**

- Adsorption of sulfonates on reservoir rocks, (Transaction) SPEJ Aug., 221-232
- CO₂ displacement mechanism: effect of phase equilibria on, (Transaction) SPEJ Aug., 242-252
- Calcium sulfate scales: influence of inhibitors on formation and dissolution of high-temperature forms, (Transaction) SPEJ Dec., 423-429
- Clay stabilizers, (Forum) SPEJ Oct., 267-269
- Fracture initiation pressure and orientation, (Transaction) SPEJ Apr., 129-144
- Horizontal cylinders: wave impact loads, (Transaction) SPEJ Feb., 29-36
- Interfacial tension and behavior of nonionic surfactants, (Tech. Paper) SPEJ Dec., 349-356
- Interfacial tensions: measured with alkyl aryl sulfonate surfactants, (Tech. Paper) SPEJ Apr., 71-82
- Micellar flooding: compositional effects on oil displacement, (Transaction) SPEJ Apr., 116-128
- Mobility buffer design: effect of sulfonate/polymer interaction, (Tech. Paper) SPEJ Feb., 4-14
- Multiphase equilibria: technique for calculating, (Tech. Paper) SPEJ Aug., 203-208
- Oil shale: effect of temperature on tensile and compressive strengths and Young's modulus, (Transaction) SPEJ Oct., 301-312
- Oilwell cementing compositions: performance in geothermal wells, (Transaction) SPEJ Aug., 233-241
- Surfactants: phase behavior and retention in porous media, (Tech. Paper) SPEJ June, 183-193

Leaching-Oil Recovery

Thermal-neutron decay time measurements: using the far detector of dual-spacing TDT, (Transaction) SPEJ Feb., 59-66

Two-dimensional pyrolysis: effects during in-situ coal gasification; preliminary results, (Forum) SPEJ May, 571-573

Water imbibition in fractured cores, (Tech. Paper) SPEJ June, 175-182

Water-soluble polymers: containing primary amide groups; determination of using Starch-Triiodide method, (Tech. Paper) SPEJ June, 151-154

Leaching

Uranium, in-situ: mathematical modeling, (Tech. Paper) SPEJ Dec., 393-400

Limestones

Adsorption of sulfonates, (Transaction) SPEJ Aug., 221-232

M

Measurement

Interfacial tensions: with alkyl aryl sulfonate surfactants, (Tech. Paper) SPEJ Apr., 71-82

Thermal-neutron decay time: laboratory study using the far detector of dual-spacing TDT device, (Transaction) SPEJ Feb., 59-66

Micellar Systems

Floods: compositional effects on oil displacement, (Transaction) SPEJ Apr., 116-128

Polymer flooding: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368

Miscible Displacement

Nine-point, finite-difference reservoir simulator: for realistic, (Transaction) SPEJ Aug., 253-262

Mixing

Rules: for optimum phase-behavior formulations; surfactant/oil/water systems, (Tech. Paper) SPEJ Oct., 271-278

Mobility

Buffer design: effect of sulfonate/polymer interaction, (Tech. Paper) SPEJ Feb., 4-14

Mobility Ratio

Adverse displacements: nine-point, finite-difference reservoir simulator for realistic prediction, (Transaction) SPEJ Aug., 253-262

Models

Compositional reservoir: an iterative technique for, (Tech. Paper) SPEJ Aug., 211-220

Elliptical flow: transient system, (Transaction) SPEJ Dec., 401-410

Mathematical: in-situ uranium leaching, (Tech. Paper) SPEJ Dec., 393-400

surfactant flooding: influence of phase behavior, (Transaction) SPEJ Dec., 411-422

water imbibition in fractured cores, (Tech. Paper) SPEJ June, 175-182

Numerical: micellar/polymer flooding: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368

Numerical simulation: for thermal recovery processes, (Transaction) SPEJ Feb., 37-58

Pseudo and three dimensional: reservoir simulation of Empire Abo field; use of pseudos in a multilayered system, (Tech. Paper) SPEJ Oct., 279-288

Simplified finite element: for reservoir flow problems, (Transaction) SPEJ Oct., 333-343

Surfactant system: use of pseudocomponents in the representation, (Tech. Paper) SPEJ Oct., 289-300

N

New Mexico

Empire Abo field: reservoir simulation; use of pseudos in a multilayered system, (Tech. Paper) SPEJ Oct., 279-288

Non-Newtonian Systems

Power-law fluids: flow through porous media, (Tech. Paper) SPEJ June, 155-163

transient flow in porous media, (Tech. Paper) SPEJ June, 164-174

Numerical Solutions

Adverse mobility ratio displacement: nine-point, finite-difference reservoir simulator for realistic prediction, (Transaction) SPEJ Aug., 253-262

Compositional reservoir models: an iterative technique for, (Tech. Paper) SPEJ Aug., 211-220

Determining relative-permeability characteristics of heterogeneous porous media: improved unsteady-state procedure, (Tech. Paper) SPEJ Feb., 15-28

Flow of non-Newtonian power-law fluids through porous media, (Tech. Paper) SPEJ June, 155-163

Formation and dissolution of high-temperature forms of calcium sulfate scales: influence of inhibitors, (Transaction) SPEJ Dec., 423-429

Fracture initiation pressure and orientation, (Transaction) SPEJ Apr., 129-144

In-situ uranium leaching, (Tech. Paper) SPEJ Dec., 393-400

Interfacial tension required for significant displacement of residual oil, (Tech. Paper) SPEJ Apr., 83-96

Interporosity flow parameter, (Transaction) SPEJ Oct., 324-332

Multi-phase equilibria: technique for calculating, (Tech. Paper) SPEJ Aug., 203-208

Multiphase, two-dimensional incompressible flow: using stream-tube relationships, (Transaction) SPEJ Oct., 312-323

Pressure analysis: multiple-sealing-fault systems and bounded reservoirs by type-curve matching, (Tech. Paper) SPEJ Dec., 378-392

Reciprocity principle: in fluid flow through porous media, (Tech. Paper) SPEJ Aug., 200-202

Reservoir flow problems: simplified finite-element models, (Transaction) SPEJ Oct., 333-343

Sensitivity study: micellar/polymer flooding, (Tech. Paper) SPEJ Dec., 357-368

Thermal recovery processes, (Transaction) SPEJ Feb., 37-58

Transient flow in elliptical systems, (Transaction) SPEJ Dec., 401-410

Transient flow of non-Newtonian power-law fluids in porous media, (Tech. Paper) SPEJ June, 164-174

Wave impact loads on cylinders, (Transaction) SPEJ Feb., 29-36

O

Offshore

Structures: wave impact loads on cylinders, (Transaction) SPEJ Feb., 29-36

Oil

Residual: interfacial tension required for significant displacement, (Tech. Paper) SPEJ Apr., 83-96

Oil Fields

Brines: determination of water-soluble polymers containing primary amide groups; using Starch-Triiodide method, (Tech. Paper) SPEJ June, 151-154

Oil Recovery

During adverse mobility ratio displacement: nine-point, finite-difference reservoir simulator for realistic prediction, (Transaction) SPEJ Aug., 253-262

Effect of salinity: micellar flooding; compositional effects on displacement, (Transaction) SPEJ Apr., 116-128

Efficiency: mixing rules for optimum phase-behavior formulations of surfactant/oil/water systems, (Tech. Paper) SPEJ Oct., 271-278

Micellar/polymer flooding: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368

Porous media: surfactant phase behavior and retention, (Tech. Paper) SPEJ June, 183-193

- transient flow of non-Newtonian power-law fluids, (Tech. Paper) SPEJ June, 164-174
- Waterflooding: numerical solution of multiphase, two-dimensional incompressible flow; using stream-tube relationships, (Transaction) SPEJ Oct., 312-323
- Oil Shales**
- Aggregate columns: vertical stress distribution during retorting, (Tech. Paper) SPEJ Apr., 97-106
- Effect of temperature on tensile and compressive strengths and Young's modulus, (Transaction) SPEJ Oct., 301-312
- Oil Wells**
- Cementing compositions: performance in geothermal wells, (Transaction) SPEJ Aug., 233-241
- Orientation**
- Hydraulic fracture: laboratory investigation, (Transaction) SPEJ Apr., 129-144

P

- Permeability**
- Relative: improved unsteady-state procedure for determining characteristics of heterogeneous porous media, (Tech. Paper) SPEJ Feb., 15-28
- Phase Behavior**
- Compositional reservoir models: an iterative technique for, (Tech. Paper) SPEJ Aug., 211-220
- Effect of equilibria on CO₂ displacement mechanism, (Transaction) SPEJ Aug., 242-252
- Influence on surfactant flooding, (Transaction) SPEJ Dec., 411-422
- Interfacial tensions: measured with alkyl aryl sulfonate surfactants, (Tech. Paper) SPEJ Apr., 71-82
- Micellar flooding: compositional effects on oil displacement, (Transaction) SPEJ Apr., 116-128
- Multiphase equilibria: technique for calculating, (Tech. Paper) SPEJ Aug., 203-208
- Of nonionic surfactants, (Tech. Paper) SPEJ Dec., 349-356
- Of surfactant system: use of pseudocomponents in the representation, (Tech. Paper) SPEJ Oct., 289-300
- Optimum formulations: mixing rules for; surfactant/oil/water systems, (Tech. Paper) SPEJ Oct., 271-278
- Separation: effect of sulfonate/polymer interactions on mobility buffer design, (Tech. Paper) SPEJ Feb., 4-14
- Surfactant: and retention in porous media, (Tech. Paper) SPEJ June, 183-193
- Physical Properties**
- Oil-shale aggregate columns: vertical stress distribution during retorting, (Tech. Paper) SPEJ Apr., 97-106
- Platforms**
- Wave impact loads on cylinders, (Transaction) SPEJ Feb., 29-36
- Polyacrylamide**
- Polymers: water-soluble; containing primary amide groups, determination of using Starch-Triiodide method, (Tech. Paper) SPEJ June, 151-154
- Polymers**
- Micellar flooding: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368
- Sulfonate interaction: effect on mobility buffer design, (Tech. Paper) SPEJ Feb., 4-14
- Water-soluble: containing primary amide groups; determination of using Starch-Triiodide method, (Tech. Paper) SPEJ June, 151-154
- Pore Structure**
- Displacement of residual oil: interfacial tension required for significant results, (Tech. Paper) SPEJ Apr., 83-96
- Porosity**
- Estimating in naturally fractured reservoirs, (Transaction) SPEJ Oct., 324-332
- Porous Media**
- Flow of oil-in-water emulsions through, (Tech. Paper) SPEJ Dec., 371-377

- Fluid through: reciprocity principle, (Tech. Paper) SPEJ Aug., 200-202
- Heterogeneous: improved unsteady-state procedure for determining relative-permeability characteristics, (Tech. Paper) SPEJ Feb., 15-28
- Non-Newtonian power-law fluids: flow through, (Tech. Paper) SPEJ June, 155-163
- transient flow in, (Tech. Paper) SPEJ June, 164-174
- Surfactant phase behavior and retention, (Tech. Paper) SPEJ June, 183-193
- Pressure Behavior**
- Analysis: of multiple-sealing-fault systems and bounded reservoirs by type-curve matching, (Tech. Paper) SPEJ Dec., 378-392
- Fracture initiation: laboratory investigation, (Transaction) SPEJ Apr., 129-144
- Multiphase equilibria: technique for calculating, (Tech. Paper) SPEJ Aug., 203-208
- Pyrolysis**
- Two-dimensional: effects during in-situ coal gasification; preliminary results, (Forum) SPEJ May, 571-573

R

- Rayleigh Waves**
- Principle: in fluid flow through porous media, (Tech. Paper) SPEJ Aug., 200-202
- Reservoir Mechanics**
- Compositional models: an iterative technique for, (Tech. Paper) SPEJ Aug., 211-220
- Flow problems: simplified finite-element models, (Transaction) SPEJ Oct., 333-343
- Numerical solution of multiphase, two-dimensional incompressible flow; using stream-tube relationships, (Transaction) SPEJ Oct., 312-323
- Pressure analysis: multiple-sealing-fault systems and bounded reservoirs by type-curve matching, (Tech. Paper) SPEJ Dec., 378-392
- Reservoir Rocks**
- Adsorption of sulfonates, (Transaction) SPEJ Aug., 221-232
- Reservoir Simulation**
- Empire Abo field: use of pseudos in a multilayered system, (Tech. Paper) SPEJ Oct., 279-288
- Nine-point, finite-difference type: for realistic prediction of adverse mobility ratio displacements, (Transaction) SPEJ Aug., 253-262
- Reservoirs**
- Elliptically shaped: transient flow in, (Transaction) SPEJ Dec., 401-410
- Response Functions**
- Reciprocity principle: in fluid flow through porous media, (Tech. Paper) SPEJ Aug., 200-202
- Retorting**
- Oil-shale aggregate columns: vertical stress distribution, (Tech. Paper) SPEJ Apr., 97-106
- Rheology**
- Behavior of macroemulsions in flow through porous media, (Tech. Paper) SPEJ Dec., 371-377

S

- Salinity**
- Effect on interfacial tension and behavior of nonionic surfactants, (Tech. Paper) SPEJ Dec., 349-356
- Effect on oil recovery: micellar flooding; compositional effects on displacement, (Transaction) SPEJ Apr., 116-128
- Salt Content**
- Effect on surfactant retention: porous media, (Tech. Paper) SPEJ June, 183-193
- Sandstone**
- Adsorption of sulfonates, (Transaction) SPEJ Aug., 221-232

Scale-Zirconium

Scale

Calcium sulfate: formation and dissolution of high-temperature forms; influence of inhibitors, (Transaction) SPEJ Dec., 423-429

Scanning Electron Microscope

In surfactant systems: use of pseudocomponents in the representation of phase behavior, (Tech. Paper) SPEJ Oct., 289-300

Use in a multilayered system: reservoir simulation; Empire Abo field, New Mexico, (Tech. Paper) SPEJ Oct., 279-288

Sensitivity Analysis

Micellar/polymer flooding, (Tech. Paper) SPEJ Dec., 357-368

Simulation

Influence of phase behavior on surfactant flooding, (Transaction) SPEJ Dec., 411-422

Micellar/polymer flooding: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368

Numerical: water imbibition in fractured cores, (Tech. Paper) SPEJ June, 175-182

Numerical model: for thermal recovery processes, (Transaction) SPEJ Feb., 37-58

Starch-Triiodide Method

Use to determine water-soluble polymers containing primary amide group, (Tech. Paper) SPEJ June, 151-154

Stresses

Vertical: distribution in oil-shale aggregate columns during retorting, (Tech. Paper) SPEJ Apr., 97-106

Sulfonation

Adsorption on reservoir rocks, (Transaction) SPEJ Aug., 221-232

Polymer interaction: effect on mobility buffer design, (Tech. Paper) SPEJ Feb., 4-14

Surface Tension

Interfacial tensions: with alkyl aryl sulfonate surfactants, (Tech. Paper) SPEJ Apr., 71-82

Surfactants

Flooding: influence of phase behavior, (Transaction) SPEJ Dec., 411-422

micellar/polymer type: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368

use of pseudocomponents in the representation of phase behavior, (Tech. Paper) SPEJ Oct., 289-300

Nonionic: behavior of, (Tech. Paper) SPEJ Dec., 349-356

Oil/water systems: mixing rules for optimum phase, (Tech. Paper) SPEJ Oct., 271-278

Phase behavior: and retention in porous media, (Tech. Paper) SPEJ June, 183-193

T

Temperature

Effect on oil shale properties, (Transaction) SPEJ Oct., 301-312

High: forms of calcium sulfate scales; influence of inhibitors on formation and dissolution, (Transaction) SPEJ Dec., 423-429

Tensile Strength

Of oil shale: effect of temperature on, (Transaction) SPEJ Oct., 301-312

Tertiary Recovery

Micellar/polymer flooding: sensitivity study, (Tech. Paper) SPEJ Dec., 357-368

Surfactant flooding: influence of phase behavior, (Transaction) SPEJ Dec., 411-422

Testing

Clay stabilizers, (Forum) SPEJ Oct., 267-269

Fractured wells: transient flow in elliptical systems, (Transaction) SPEJ Dec., 401-410

Naturally fractured reservoirs: method for estimating interporosity flow parameter, (Transaction) SPEJ Oct., 324-332

Wells: reciprocity principle in fluid flow through porous media, (Tech. Paper) SPEJ Aug., 200-202

Texas

University of: interfacial tensions measured with alkyl aryl sulfonate surfactants, (Tech. Paper) SPEJ Apr., 71-82

Thermal Recovery of Oil

Numerical simulation model for, (Transaction) SPEJ Feb., 37-58

Thermal-Neutron Decay Time

Measurements: accuracy improved using the far detector of dual-spacing TDT device; laboratory study, (Transaction) SPEJ Feb., 59-66

Transient Flow

In elliptical systems, (Transaction) SPEJ Dec., 401-410

Non-Newtonian power-law fluids in porous media, (Tech. Paper) SPEJ June, 164-174

U

Underground Fluids

Liquids and gases: two-dimensional pyrolysis effects during in-situ coal gasification, (Forum) SPEJ May, 571-573

Uranium

Leaching: in-situ; mathematical modeling, (Tech. Paper) SPEJ Dec., 393-400

W

Water

Imbibition: numerical simulation in fractured cores, (Tech. Paper) SPEJ June, 175-182

Soluble polymers containing primary amide groups: determination of using Starch-Triiodide method, (Tech. Paper) SPEJ June, 151-154

Surfactant/oil systems: mixing rules for optimum phase-behavior formulation, (Tech. Paper) SPEJ Oct., 271-278

Waterflooding

Displacement of residual oil: interfacial tension required for significant results, (Tech. Paper) SPEJ Apr., 83-96

Fractured cores: numerical simulation of water imbibition, (Tech. Paper) SPEJ June, 175-182

Numerical solution of multiphase, two-dimensional flow: using stream-tube relationships, (Transaction) SPEJ Oct., 312-323

Wave Action

Impact loads on cylinders, (Transaction) SPEJ Feb., 29-36

Well Logging

Dual-spacing TDT: accurate thermal-neutron decay time measurements using the far detector; laboratory study, (Transaction) SPEJ Feb., 59-66

Well Pattern

Waterfloods: numerical solution of multiphase, two-dimensional incompressible flow; using stream-tube relationship, (Transaction) SPEJ Oct., 312-323

Y

Young's Modulus

Of oil shale: effect of temperature on, (Transaction) SPEJ Oct., 301-312

Z

Zirconium

Of oil shale: effect of temperature, (Transaction) SPEJ Oct., 301-312

Salt: as clay stabilizer, (Forum) SPEJ Oct., 267-269

